

Table 9. Data for DALY calculation: Ascariasis

9a

Disease:		Region:		Sex:		Year:				
Ascariasis		Sub Saharan Africa		Both		1990				
Age Group	Incidence	Proportion at risk		Average age at onset	Duration of risk	Duration of disability			Mortality	
		C	A/B			A	C	B		
0-4		259	1546	2	1	1	0.05	81.25	0.3	
5-14		265	1181	10	1	1	0.05	71.70	0.3	
15-44		2	97	30	1	1	0.05	51.89	0.006	
45-49		2	97	50	1	1	0.05	32.49	0.006	
60+		2	97	70	1	1	0.05	14.89	0.006	

9b

Disease:		Region:		Sex:		Year:				
Ascariasis		Latin America and Car		Both		1990				
Age Group	Incidence	Proportion at risk		Average age at onset	Duration of risk	Duration of disability			Mortality	
		C	A/B			A	C	B		
0-4		1009	5370	2	1	1	0.05	81.25	1	
5-14		1083	4506	10	1	1	0.05	71.70	0.9	
15-44		11	390	30	1	1	0.05	51.89	0.01	
45-49		11	390	50	1	1	0.05	32.49	0.01	
60+		11	390	70	1	1	0.05	14.89	0.01	

9c

Disease:		Region:		Sex:		Year:				
Ascariasis		Middle Eastern Cresce		Both		1990				
Age Group	Incidence	Proportion at risk		Average age at onset	Duration of risk	Duration of disability			Mortality	
		C	A/B			A	C	B		
0-4		280	1557	2	1	1	0.05	81.25	0.3	
5-14		303	1285	10	1	1	0.05	71.70	0.3	
15-44		3	113	30	1	1	0.05	51.89	0.005	
45-49		3	113	50	1	1	0.05	32.49	0.005	
60+		3	113	70	1	1	0.05	14.89	0.005	

9d

Disease:		Region:		Sex:		Year:				
Ascariasis		India		Both		1990				
Age Group	Incidence	Proportion at risk		Average age at onset	Duration of risk	Duration of disability			Mortality	
		C	A/B			A	C	B		
0-4		419	2247	2	1	1	0.05	81.25	0.4	
5-14		459	1892	10	1	1	0.05	71.70	0.4	
15-44		4	163	30	1	1	0.05	51.89	0.006	
45-49		4	163	50	1	1	0.05	32.49	0.006	
60+		4	163	70	1	1	0.05	14.89	0.006	

9e

Disease:		Region:		Sex:		Year:				
Ascariasis		China		Both		1990				
Age Group	Incidence	Proportion at risk		Average age at onset	Duration of risk	Duration of disability			Mortality	
		C	A/B			A	C	B		
0-4		1022	5178	2	1	1	0.05	81.25	1.1	
5-14		1184	4546	10	1	1	0.05	71.70	1.1	
15-44		13	416	30	1	1	0.05	51.89	0.01	
45-49		13	416	50	1	1	0.05	32.49	0.01	
60+		13	416	70	1	1	0.05	14.89	0.01	

9f

Disease:		Region:		Sex:		Year:				
Ascariasis		Other Asia & Islands		Both		1990				
Age Group	Incidence	Proportion at risk		Average age at onset	Duration of risk	Duration of disability			Mortality	
		C	A/B			A	C	B		
0-4		1403	7399	2	1	1	0.05	81.25	1.2	
5-14		1430	6017	10	1	1	0.05	71.70	1	
15-44		13	491	30	1	1	0.05	51.89	0.02	
45-49		13	491	50	1	1	0.05	32.49	0.02	
60+		13	491	70	1	1	0.05	14.89	0.02	

Table 10. Data for DALY calculation: Trichuriasis

10a

Disease:		Region:		Sex:		Year:			
Trichuriasis		Sub Saharan Africa		Both		1990			
Age Grou	Incidence	Proportion at risk		Average age	Duration	Duration of disability		Mortality	
		C	A/B	at onset	of risk	A/C	B		
0-4		19	240	2	1	1		81.25	1
5-14		321	692	10	1	1		71.70	0
15-44		0	56	30	1	1		51.89	0
45-49		0	56	50	1	1		32.49	0
60+		0	56	70	1	1		14.89	0

10b

Disease:		Region:		Sex:		Year:			
Trichuriasis		Latin America & Cari		Both		1990			
Age Grou	Incidence	Proportion at risk		Average age	Duration	Duration of disability		Mortality	
		C	A/B	at onset	of risk	A/C	B		
0-4		91	994	2	1	1		81.25	1
5-14		1337	2692	10	1	1		71.70	1
15-44		3	250	30	1	1		51.89	0
45-49		3	250	50	1	1		32.49	0
60+		3	250	70	1	1		14.89	0

10c

Disease:		Region:		Sex:		Year:			
Trichuriasis		Middle Eastern Cres		Both		1990			
Age Grou	Incidence	Proportion at risk		Average age	Duration	Duration of disability		Mortality	
		C	A/B	at onset	of risk	A/C	B		
0-4		0	2	2	1	1		81.25	0
5-14		0	10	10	1	1		71.70	0
15-44		0	1	30	1	1		51.89	0
45-49		0	1	50	1	1		32.49	0
60+		0	1	70	1	1		14.89	0

10d

Disease:		Region:		Sex:		Year:			
Trichuriasis		India		Both		1990			
Age Grou	Incidence	Proportion at risk		Average age	Duration	Duration of disability		Mortality	
		C	A/B	at onset	of risk	A/C	B		
0-4		19	206	2	1	1		81.25	0
5-14		280	564	10	1	1		71.70	0
15-44		1	52	30	1	1		51.89	0
45-49		1	52	50	1	1		32.49	0
60+		1	52	70	1	1		14.89	0

Disease:		Region:		Sex:		Year:			
Trichuriasis		China		Both		1990			
Age Grou	Incidence	Proportion at risk		Average age	Duration	Duration of disability		Mortality	
		C	A/B	at onset	of risk	A/C	B		
0-4		47	417	2	1	1		81.25	1
5-14		567	1051	10	1	1		71.70	1
15-44		2	119	30	1	1		51.89	0
45-49		2	119	50	1	1		32.49	0
60+		2	119	70	1	1		14.89	0

10f

Disease:		Region:		Sex:		Year:			
Trichuriasis		Other Asia & Islands		Both		1990			
Age Grou	Incidence	Proportion at risk		Average age	Duration	Duration of disability		Mortality	
		C	A/B	at onset	of risk	A/C	B		
0-4		127	1459	2	1	1		81.25	2
5-14		1880	3832	10	1	1		71.70	1
15-44		3	325	30	1	1		51.89	0
45-49		3	325	50	1	1		32.49	0
60+		3	325	70	1	1		14.89	0

Table 11. Data for DALY calculation: Hookworm disease

11a

Disease:		Region:		Sex:		Year:		
Hookworm disease		Sub Saharan Africa		Male		1990		
Age Group	Incidence	Proportion at risk		Average ag at onset	Duration of risk	Duration of disability		Mortality
		C	B			C	B	
0-4		0	0	2	1	1	80.00	0
5-14		180	1260	10	1	1	70.40	0
15-44		2650	5760	30	1	1	50.51	3
45-49		2650	5760	50	1	1	30.99	14
60+		2650	5760	70	1	1	13.58	0

11b

Disease:		Region:		Sex:		Year:		
Hookworm disease		Latin America and C		Male		1990		
Age Group	Incidence	Proportion at risk		Average ag at onset	Duration of risk	Duration of disability		Mortality
		C	B			C	B	
0-4		0	0	2	1	1	80.00	0
5-14		30	945	10	1	1	70.40	0
15-44		1090	5030	30	1	1	50.51	0
45-49		1090	5030	50	1	1	30.99	2
60+		1090	5030	70	1	1	13.58	0

11c

Disease:		Region:		Sex:		Year:		
Hookworm disease		Middle Eastern Cres		Male		1990		
Age Group	Incidence	Proportion at risk		Average ag at onset	Duration of risk	Duration of disability		Mortality
		C	B			C	B	
0-4		0	0	2	1	1	80.00	0
5-14		30	480	10	1	1	70.40	0
15-44		770	2400	30	1	1	50.51	1
45-49		770	2400	50	1	1	30.99	3
60+		770	2400	70	1	1	13.58	0

11d

Disease:		Region:		Sex:		Year:		
Hookworm disease		India		Male		1990		
Age Group	Incidence	Proportion at risk		Average ag at onset	Duration of risk	Duration of disability		Mortality
		C	B			C	B	
0-4		0	0	2	1	1	80.00	0
5-14		70	1575	10	1	1	70.40	0
15-44		2070	8150	30	1	1	50.51	2
45-49		2070	8150	50	1	1	30.99	8
60+		2070	8150	70	1	1	13.58	0

11e

Disease:		Region:		Sex:		Year:		
Hookworm disease		China		Male		1990		
Age Group	Incidence	Proportion at risk		Average ag at onset	Duration of risk	Duration of disability		Mortality
		C	B			C	B	
0-4		0	0	2	1	1	80.00	0
5-14		2	253	10	1	1	70.40	0
15-44		150	1500	30	1	1	50.51	0
45-49		150	1500	50	1	1	30.99	0
60+		150	1500	70	1	1	13.58	0

11f

Disease:		Region:		Sex:		Year:		
Hookworm disease		Other Asia & Islands		Male		1990		
Age Group	Incidence	Proportion at risk		Average ag at onset	Duration of risk	Duration of disability		Mortality
		C	B			C	B	
0-4		0	0	2	1	1	80.00	0
5-14		70	1545	10	1	1	70.40	0
15-44		2060	7980	30	1	1	50.51	1
45-49		2060	7980	50	1	1	30.99	6
60+		2060	7980	70	1	1	13.58	0

11g

Disease:		Region:		Sex:		Year:		
Hookworm disease		Sub Saharan Africa		Female		1990		
Age Group	Incidence	Proportion at risk		Average ag at onset	Duration of risk	Duration of disability		Mortality
		C	B			C	B	
0-4		0	0	2	1	1	82.50	0
5-14		180	1260	10	1	1	72.99	0
15-44		2650	5760	30	1	1	53.27	11
45-49		2650	5760	50	1	1	33.99	14
60+		2650	5760	70	1	1	16.20	0

11h

Disease:		Region:		Sex:		Year:		
Hookworm disease		Latin America and C		Female		1990		
Age Group	Incidence	Proportion at risk		Average ag at onset	Duration of risk	Duration of disability		Mortality
		C	B			C	B	
0-4		0	0	2	1	1	82.50	0
5-14		30	945	10	1	1	72.99	0
15-44		1090	5030	30	1	1	53.27	2
45-49		1090	5030	50	1	1	33.99	2
60+		1090	5030	70	1	1	16.20	0

11i

Disease:		Region:		Sex:		Year:		
Hookworm disease		Middle eastern Cres		Female		1990		
Age Group	Incidence	Proportion at risk		Average ag at onset	Duration of risk	Duration of disability		Mortality
		C	B			C	B	
0-4		0	0	2	1	1	82.50	0
5-14		30	480	10	1	1	72.99	0
15-44		770	2400	30	1	1	53.27	2
45-49		770	2400	50	1	1	33.99	3
60+		770	2400	70	1	1	16.20	0

11j

Disease:		Region:		Sex:		Year:		
Hookworm disease		India		Female		1990		
Age Group	Incidence	Proportion at risk		Average ag at onset	Duration of risk	Duration of disability		Mortality
		C	B			C	B	
0-4		0	0	2	1	1	82.50	0
5-14		70	1575	10	1	1	72.99	0
15-44		2070	8150	30	1	1	53.27	6
45-49		2070	8150	50	1	1	33.99	8
60+		2070	8150	70	1	1	16.20	0

Disease:		Region:		Sex:		Year:		
Hookworm disease		China		Female		1990		
Age Group	Incidence	Proportion at risk		Average ag at onset	Duration of risk	Duration of disability		Mortality
		C	B			C	B	
0-4		0	0	2	1	1	82.50	0
5-14		2	253	10	1	1	72.99	0
15-44		150	1500	30	1	1	53.27	0
45-49		150	1500	50	1	1	33.99	0
60+		150	1500	70	1	1	16.20	0

11i

Disease:		Region:		Sex:		Year:		
Hookworm disease		Other Asia & Islands		Female		1990		
Age Group	Incidence	Proportion at risk		Average ag at onset	Duration of risk	Duration of disability		Mortality
		C	B			C	B	
0-4		0	0	2	1	1	82.50	0
5-14		70	1545	10	1	1	72.99	0
15-44		2060	7980	30	1	1	53.27	5
45-49		2060	7980	50	1	1	33.99	6
60+		2060	7980	70	1	1	16.20	0